# **Product Datasheet**

# Cytokeratin 15 Antibody (KRT15/9088R) NBP3-23919-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-23919

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-23919



## NBP3-23919-100ug

| Cytokeratin 15 Antibody (KRT15/9088R) |   |
|---------------------------------------|---|
| Product Information                   |   |
| Unit Size                             | 100 ug  |
| Concentration                         | 0.2 mg/ml   |
| Storage                               | Store at 4C.  |
| Clonality                             | Monoclonal  |
| Clone                                 | KRT15/9088R   |
| Preservative                          | 0.05% Sodium Azide  |
| Isotype                               | IgG Kappa   |
| Purity                                | Protein A purified  |
| Buffer                                | 10mM PBS with 0.05% BSA   |
| Product Description                   |   |
| Description                           | Store at 2 to 8C. Non-hazardous. No MSDS required.  |
| Host                                  | Rabbit  |
| Gene ID                               | 3866  |
| Gene Symbol                           | KRT15   |
| Species                               | Human   |
| Marker                                | Esophageal Squamous Cell Carcinoma Marker   |
| Immunogen                             | Recombinant human full-length Cytokeratin 15 protein  |
| Product Application Details           |   |
| Applications                          | Immunohistochemistry-Paraffin   |
| Recommended Dilutions                 | Immunohistochemistry-Paraffin 1-2ug/ml  |
| Application Notes                     | Immunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. |





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP3-23919-100ug

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP1-85602PEP Cytokeratin 15 Recombinant Protein Antigen

8184-CK-050 Choline Kinase beta [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-23919

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

