# **Product Datasheet**

# MVP Antibody (r1032) - Azide and BSA Free NBP3-23976

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-23976

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-23976



#### NBP3-23976

MVP Antibody (r1032) - Azide and BSA Free

| MVP Antibody (r1032) - Azide and BSA Free |   |
|---|---|
| Product Information                       |   |
| Unit Size                                 | 100 ug  |
| Concentration                             | 1 mg/ml   |
| Storage                                   | Store at -20 to -80C. Avoid freeze-thaw cycles.   |
| Clonality                                 | Monoclonal  |
| Clone                                     | r1032   |
| Preservative                              | No Preservative   |
| Isotype                                   | IgG1 Kappa  |
| Purity                                    | Protein A or G purified   |
| Buffer                                    | 10mM PBS  |
| Product Description                       |   |
| Description                               | Antibody without azide - store at -20 to -80C.  |
| Host                                      | Mouse   |
| Gene ID                                   | 9961  |
| Gene Symbol                               | MVP   |
| Species                                   | Human   |
| Immunogen                                 | Proteins precipitated from human breast cancer MCF-7 cells  |
| Product Application Details               |   |
| Applications                              | Western Blot, Immunohistochemistry-Paraffin   |
| Recommended Dilutions                     | Western Blot 1-2ug/ml, Immunohistochemistry-Paraffin 1-2ug/ml   |
| Application Notes                         | Immunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-23976**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
H00009961-P01-10ug Recombinant Human MVP GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-23976

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

