Product Datasheet

Adenylate Cyclase 8 Antibody (ADCY8/7341) - Azide and BSA Free NBP3-24064

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-24064

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-24064



NBP3-24064

vilate Cyclase 8 Antibody (ADCY8/7341) - Azide and BSA Free

Adenylate Cyclase 8 Antibody (Al	DCY8/7341) - Azide and BSA Free			
Product Information				
Unit Size	100 ug			
Concentration	1 mg/ml			
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.			
Clonality	Monoclonal			
Clone	ADCY8/7341			
Preservative	No Preservative			
Isotype	IgG Kappa			
Purity	Protein A or G purified			
Buffer	10mM PBS			
Product Description				
Description	Antibody without azide - store at -20 to -80C.			
Host	Mouse			
Gene ID	114			
Gene Symbol	ADCY8			
Species	Human			
Immunogen	Recombinant fragment (around aa1-200) of human Adenylate Cyclase 8 protein (exact sequence is proprietary)			
Product Application Details				
Applications	Immunohistochemistry-Paraffin			
Recommended Dilutions	Immunohistochemistry-Paraffin 1-2ug/ml			
Application Notes	Immunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM			

Froduct Application Details					
Applications	Immunohistochemistry-Paraffin				
Recommended Dilutions	Immunohistochemistry-Paraffin 1-2ug/ml				
Application Notes	Immunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.				




I	m	а	a	e	s
		м	м	v	v

Formalin-fixed, paraffin-embedded human kidney stained with Adenylate |x| Cyclase 8 antibody (ADCY8/7341) - Azide and BSA Free. HIER: Tris/EDTA, pH9.0, 45min. Secondary: HRP-polymer, 30min. DAB, 5min.



Formalin-fixed, paraffin-embedded human brain stained with Adenylate Cyclase 8 antibody (ADCY8/7341) - Azide and BSA Free. Inset: PBS instead of primary antibody; secondary only negative control.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-24064

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

H00000114-Q01-10ug Recombinant Human Adenylate Cyclase 8 GST (N-Term) Protein

DYC2510-2 CREB [p Ser133] [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-24064

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

