# **Product Datasheet**

# CD63 Antibody (LAMP3/8678R) - Azide and BSA Free NBP3-24328

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-24328

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-24328



## NBP3-24328

CD63 Antibody (LAMP3/8678R) - Azide and RSA Free

| CD63 Antibody (LAMP3/8678R) - Azide and BSA Free |   |
|--|---|
| Product Information                              |   |
| Unit Size  | 100 ug  |
| Concentration                                    | 1 mg/ml   |
| Storage  | Store at -20 to -80C. Avoid freeze-thaw cycles.   |
| Clonality  | Monoclonal  |
| Clone  | LAMP3/8678R   |
| Preservative                                     | No Preservative   |
| Isotype  | IgG Kappa   |
| Purity   | Protein A or G purified   |
| Buffer   | 10mM PBS  |
| Product Description                              |   |
| Description                                      | Antibody without azide - store at -20 to -80C.  |
| Host   | Rabbit  |
| Gene ID  | 967   |
| Gene Symbol                                      | CD63  |
| Species  | Human   |
| Marker   | Late Endosomes Marker   |
| Specificity/Sensitivity                          | This monoclonal antibody recognizes protein of 26kDa-60kDa, which is identified as CD63. Its epitope is different from that of monoclonal antibody LAMP3/529. |
| Immunogen  | Recombinant full-length human CD63 protein  |
| Product Application Details                      |   |
| Applications                                     | Immunohistochemistry-Paraffin   |
| Recommended Dilutions                            | Immunohistochemistry-Paraffin 1-2ug/ml  |
| Application Notes                                | Immunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM       |

| <b>Product Application Details</b> |   |
|------------------------------------|---|
| Applications                       | Immunohistochemistry-Paraffin   |
| Recommended Dilutions              | Immunohistochemistry-Paraffin 1-2ug/ml  |
| Application Notes                  | Immunohistochemistry-Paraffin: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. |





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP3-24328**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

H00000967-G01-2ug Recombinant Human CD63 Protein

203-IL-010 IL-3 [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-24328

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

