Product Datasheet

Ctip1 Antibody (CL13530) NBP3-24563-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-24563

Updated 2/27/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-24563




NBP3-24563-100ul

Ctip1 Antibody (CL13530)


Product Information Unit Size 100 ul Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Monoclonal Preservative 0.02% Sodium Azide Isotype IgG1 Purity Protein A purified Buffer PBS, pH 7.2, 40% glycerol Product Description Host Gene ID S3335 Gene Symbol BCL11A Species Human Immunogen This antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary. Product Application Details Mestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin		
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Monoclonal Clone CL13530 Preservative 0.02% Sodium Azide Isotype IgG1 Purity Protein A purified Buffer PBS, pH 7.2, 40% glycerol Product Description Mouse Gene ID 53335 Gene Symbol BCL11A Species Human Immunogen This antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary. Product Application Details Western Blot, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1ug/mI, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/Immunofluorescence 2-10 ug/mI, Immunohistochemistry-Paraffin Application Notes For IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a PH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Product Information	
contact technical services.StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneCL13530Preservative0.02% Sodium AzideIsotypeIgG1PurityProtein A purifiedBufferPBS, pH 7.2, 40% glycerolProduct DescriptionSa335HostMouseGene IDSa335Gene SymbolBCL11ASpeciesHumanImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsWestern Blot, Immunohistochemistry-Immunofiluorescence, Immunohistochemistry, Immunohistochemistry 1:200 - 1:500, Immunohistochemistry / Immunohistochemistry / Date of the period ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Unit Size	100 ul
cycles.ClonalityMonoclonalCloneCL13530Preservative0.02% Sodium AzideIsotypeIgG1PurityProtein A purifiedBufferPBS, pH 7.2, 40% glycerolProduct DescriptionMouseGene ID53335Gene SymbolBCL11ASpeciesHumanImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsWestern Blot, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend usi	Concentration	
CloneCL13530Preservative0.02% Sodium AzideIsotypeIgG1PurityProtein A purifiedBufferPBS, pH 7.2, 40% glycerolProduct DescriptionHostMouseGene ID53335Gene SymbolBCL11ASpeciesHumanImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Immunohistochemistry 1:200 - 1:500, Immunocytochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-ParaffinApplication NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a PH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Storage	
Preservative 0.02% Sodium Azide Isotype IgG1 Purity Protein A purified Buffer PBS, pH 7.2, 40% glycerol Product Description Product Description Host Mouse Gene ID 53335 Gene Symbol BCL11A Species Human Immunogen This antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary. Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin Application Notes For IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Clonality	Monoclonal
IsotypeIgG1PurityProtein A purifiedBufferPBS, pH 7.2, 40% glycerolProduct DescriptionHostMouseGene ID53335Gene SymbolBCL11ASpeciesHumanImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-ParaffinApplication NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Clone	CL13530
Purity Protein A purified Buffer PBS, pH 7.2, 40% glycerol Product Description Mouse Host Mouse Gene ID 53335 Gene Symbol BCL11A Species Human Immunogen This antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary. Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry -Paraffin Recommended Dilutions Western Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin Application Notes For IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Preservative	0.02% Sodium Azide
Buffer PBS, pH 7.2, 40% glycerol Product Description Mouse Host Mouse Gene ID 53335 Gene Symbol BCL11A Species Human Immunogen This antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary. Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin Application Notes For IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Isotype	IgG1
Product Description Host Mouse Gene ID 53335 Gene Symbol BCL11A Species Human Immunogen This antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary. Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry - Paraffin Recommended Dilutions Western Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Purity	Protein A purified
HostMouseGene ID53335Gene SymbolBCL11ASpeciesHumanImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsApplication DetailsApplicationsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Buffer	PBS, pH 7.2, 40% glycerol
Gene ID53335Gene SymbolBCL11ASpeciesHumanImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Product Description	
Gene SymbolBCL11ASpeciesHumanImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Host	Mouse
SpeciesHumanImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Gene ID	53335
ImmunogenThis antibody was developed using a synthetic peptide derived from Q9H165, with the exact immunogen sequence remaining proprietary.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Gene Symbol	BCL11A
with the exact immunogen sequence remaining proprietary.Product Application DetailsApplicationsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Species	Human
ApplicationsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Immunogen	
Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500Application NotesFor IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Product Application Details	
Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry- Paraffin 1:200 - 1:500 Application Notes For IHC-Paraffin, we recommend using Heat-Induced Epitope Retrieval (HIER) with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Applications	
with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-
	Application Notes	with a pH level of 6. This optimized retrieval method ensures the best results for your experiments, For ICC/IF, we recommend using a combination of PFA and

Images

Staining in NTERA-2 cell line with Anti-BCL11A monoclonal antibody, showing specific staining of nucleoplasm in green. Microtubule- and nuclear probes are visualized in red and blue respectively (where available).









Staining of human skeletal muscle shows no positivity in myocytes as expected.

Staining of human cerebral cortex shows strong nuclear positivity in neurons.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-24563-100ul

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
H00053335-Q01-10ug	Recombinant Human Ctip1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-24563

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

