Product Datasheet

Activin C/Inhibin beta C Antibody NBP3-25264

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-25264

Updated 12/16/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-25264



NBP3-25264

Activin C/Inhibin beta C Antibody

Purity Affinity purified Buffer PBS, pH 7.2, 40% glycerol Product Description		
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Affinity purified Buffer PBS, pH 7.2, 40% glycerol Product Description Kabbit Host Rabbit Gene ID 3626 Gene Symbol INHBC Species Human Immunogen This antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRA/GGQCPA/CGGPTLELESQRELLEDARKSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEI Product Application Details Immunocytochemistry/Immunofluorescence Recommended Dilutions Immunocytochemistry/Immunofluorescence Product Inficiation Notes For ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Product Information	
contact technical services.StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS, pH 7.2, 40% glycerolProduct DescriptionRabbitHostRabbitGene ID3626Gene SymbolINHBCSpeciesHumanImmunogenThis antibody has been engineered to specifically recognize the recombinant trotein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Unit Size	100 ul
cycles.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS, pH 7.2, 40% glycerolProduct DescriptionRabbitHostRabbitGene ID3626Gene SymbolINHBCSpeciesHumanImmunogenThis antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Concentration	
Preservative 0.02% Sodium Azide Isotype IgG Purity Affinity purified Buffer PBS, pH 7.2, 40% glycerol Product Description Rabbit Gene ID 3626 Gene Symbol INHBC Species Human Immunogen This antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEI Product Application Details Immunocytochemistry/Immunofluorescence Applications Immunocytochemistry/Immunofluorescence Recommended Dilutions For ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Storage	
IsotypeIgGPurityAffinity purifiedBufferPBS, pH 7.2, 40% glycerolProduct DescriptionPBS, pH 7.2, 40% glycerolHostRabbitGene ID3626Gene SymbolINHBCSpeciesHumanImmunogenThis antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Clonality	Polyclonal
PurityAffinity purifiedBufferPBS, pH 7.2, 40% glycerolProduct DescriptionRabbitHostRabbitGene ID3626Gene SymbolINHBCSpeciesHumanImmunogenThis antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Preservative	0.02% Sodium Azide
BufferPBS, pH 7.2, 40% glycerolProduct DescriptionHostRabbitGene ID3626Gene SymbolINHBCSpeciesHumanImmunogenThis antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Isotype	IgG
Product Description Host Rabbit Gene ID 3626 Gene Symbol INHBC Species Human Immunogen This antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEI Product Application Details Immunocytochemistry/Immunofluorescence Recommended Dilutions Immunocytochemistry/Immunofluorescence 0.25-2 µg/ml Application Notes For ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Purity	Affinity purified
HostRabbitGene ID3626Gene SymbolINHBCSpeciesHumanImmunogenThis antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Buffer	PBS, pH 7.2, 40% glycerol
Gene ID3626Gene SymbolINHBCSpeciesHumanImmunogenThis antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Product Description	
Gene Symbol INHBC Species Human Immunogen This antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEI Product Application Details Immunocytochemistry/Immunofluorescence Recommended Dilutions Immunocytochemistry/Immunofluorescence 0.25-2 µg/ml Application Notes For ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Host	Rabbit
SpeciesHumanImmunogenThis antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Gene ID	3626
ImmunogenThis antibody has been engineered to specifically recognize the recombinant protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Gene Symbol	INHBC
protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL RTALQHLHGVPQGALLEDNREQECEIProduct Application DetailsApplicationsImmunocytochemistry/ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Species	Human
ApplicationsImmunocytochemistry/ImmunofluorescenceRecommended DilutionsImmunocytochemistry/Immunofluorescence 0.25-2 μg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Immunogen	protein Activin C/Inhibin beta C using the following amino acid sequence: TPRAGGQCPACGGPTLELESQRELLLDLAKRSILDKLHLTQRPTLNRPVSRAAL
Recommended DilutionsImmunocytochemistry/Immunofluorescence 0.25-2 µg/mlApplication NotesFor ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Product Application Details	
Application Notes For ICC/IF, we recommend using a combination of PFA and Triton X-100. This	Applications	Immunocytochemistry/Immunofluorescence
	Recommended Dilutions	Immunocytochemistry/Immunofluorescence 0.25-2 µg/ml
	Application Notes	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-25264

Goat anti-Rabbit IgG Secondary Antibody [HRP]
Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
Rabbit IgG Isotype Control
Activin C/Inhibin beta C Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-25264

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

