Product Datasheet

Serpin G1/C1 Inhibitor Antibody (HL1196) - Azide and BSA Free NBP3-25387

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-25387

Updated 6/22/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-25387




NBP3-25387

Serpin G1/C1 Inhibitor Antibody (HL1196) - Azide and BSA Free

Product Information	Selphi Gi/CT inhibitor Antibody (TET190) - Azide and BSATTee	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Monoclonal Clone HL1196 Preservative No Preservative Isotype IgG Purity Protein A purified Buffer PBS Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Assay dependent, Immunocytochemistry Immunofluorescence Assay dependent, Immunofluorescence Assay dependent, Immunofluorescence Assay dependent, Immunofluorescence Assay dependent,	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Monoclonal Clone HL1196 Preservative No Preservative Isotype IgG Purity Protein A purified Buffer PBS Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent, Immunofluorescence Assay dependent, Immunofluorescence Assay dependent,	Unit Size	100 ul
cycles. Clonality Monoclonal Clone HL1196 Preservative No Preservative Isotype IgG Purity Protein A purified Buffer PBS Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent, Immunocytochemistry/ Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Concentration	
Clone HL1196 Preservative No Preservative Isotype IgG Purity Protein A purified Buffer PBS Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Storage	·
Preservative No Preservative Isotype IgG Purity Protein A purified Buffer PBS Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Clonality	Monoclonal
Isotype IgG Purity Protein A purified Buffer PBS Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Clone	HL1196
Purity Protein A purified Buffer PBS Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Preservative	No Preservative
Buffer PBS Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/Immunofluorescence Assay dependent,	Isotype	IgG
Target Molecular Weight 95 kDa Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Purity	Protein A purified
Product Description Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Buffer	PBS
Host Rabbit Gene ID 710 Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/Immunofluorescence Assay dependent,	Target Molecular Weight	95 kDa
Gene Symbol SERPING1 Species Human, Mouse, Rat Immunogen Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/Immunofluorescence Assay dependent,	Product Description	
Gene Symbol SERPING1 Human, Mouse, Rat Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Host	Rabbit
Species Human, Mouse, Rat Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/Immunofluorescence Assay dependent,	Gene ID	710
Recombinant protein encompassing a sequence within the center region of human C1 inhibitor. The exact sequence is proprietary. Product Application Details	Gene Symbol	SERPING1
human C1 inhibitor. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Species	Human, Mouse, Rat
Applications Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Immunogen	
Recommended Dilutions Western Blot 1:500-1:10000, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence Assay dependent,	Product Application Details	
Immunocytochemistry/ Immunofluorescence Assay dependent,	Applications	
	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence Assay dependent,


Images

Immunohistochemistry-Paraffin: Serpin G1/C1 Inhibitor Antibody (HL1196) - Azide and BSA Free [NBP3-25387] - C1 inhibitor antibody [HL1196] detects secreted C1 inhibitor protein by immunohistochemical analysis. Sample: Paraffin-embedded human breast carcinoma. C1 inhibitor stained by C1 inhibitor antibody [HL1196] (NBP3-25387) diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min







Immunohistochemistry-Paraffin: Serpin G1/C1 Inhibitor Antibody (HL1196) - Azide and BSA Free [NBP3-25387] - C1 inhibitor antibody [HL1196] detects C1 inhibitor protein by immunohistochemical analysis. Sample: Paraffin-embedded rat tissues. C1 inhibitor stained by C1 inhibitor antibody [HL1196] (NBP3-25387) diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




Western Blot: Serpin G1/C1 Inhibitor Antibody (HL1196) - Azide and BSA Free [NBP3-25387] - Mouse plasma and rat plasma (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with C1 inhibitor antibody [HL1196] (NBP3-25387) diluted at 1:2000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Immunocytochemistry/Immunofluorescence: Serpin G1/C1 Inhibitor Antibody (HL1196) - Azide and BSA Free [NBP3-25387] - C1 inhibitor antibody [HL1196] detects C1 inhibitor protein by immunofluorescent analysis. Sample: HepG2 cells were fixed in ice-cold MeOH for 10 min. Green: C1 inhibitor stained by C1 inhibitor antibody [HL1196] (NBP3-25387) diluted at 1:500. Blue: Fluoroshield with DAPI.



Western Blot: Serpin G1/C1 Inhibitor Antibody (HL1196) - Azide and BSA Free [NBP3-25387] - Human plasma (30 ug) was separated by 10% SDS-PAGE, and the membrane was blotted with C1 inhibitor antibody [HL1196] (NBP3-25387) diluted at 1:10000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-25387

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-33536PEP Serpin G1/C1 Inhibitor Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-25387

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

