Product Datasheet

Fumarylacetoacetate hydrolase Antibody (HL1972) - Azide and BSA Free NBP3-25461

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-25461

Updated 12/19/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-25461



NBP3-25461

Fumarylacetoacetate hydrolase Antibody (HL1972) - Azide and BSA Free


,		
Product Information		
Unit Size	100 ul	
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	HL1972	
Preservative	No Preservative	
Isotype	IgG	
Purity	Protein A purified	
Buffer	PBS	
Duadret Description		

Product Description		
Host	Rabbit	
Gene ID	2184	
Gene Symbol	FAH	
Species	Human, Mouse, Rat	
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Chicken (81%).	
Immunogen	Recombinant fragment of human Fumarylacetoacetate hydrolase.	


Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry, Immunohistochemistry- Paraffin

Images


Immunohistochemistry-Paraffin: Fumarylacetoacetate hydrolase Antibody (HL1972) - Azide and BSA Free [NBP3-25461] - FAH antibody [HL1972] detects FAH protein at cytoplasm by immunohistochemical analysis. Sample: Paraffin-embedded rat liver. FAH stained by FAH antibody [HL1972] (NBP3-25461) diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




Western Blot: Fumarylacetoacetate hydrolase Antibody (HL1972) - Azide and BSA Free [NBP3-25461] - Various tissue extracts (50 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with FAH antibody [HL1972] (NBP3-25461) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.




Western Blot: Fumarylacetoacetate hydrolase Antibody (HL1972) - Azide and BSA Free [NBP3-25461] - Various tissue extracts (50 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with FAH antibody [HL1972] (NBP3-25461) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.




Immunohistochemistry-Paraffin: Fumarylacetoacetate hydrolase Antibody (HL1972) - Azide and BSA Free [NBP3-25461] - FAH antibody [HL1972] detects FAH protein at cytoplasm by immunohistochemical analysis. Sample: Paraffin-embedded mouse liver. FAH stained by FAH antibody [HL1972] (NBP3-25461) diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Western Blot: Fumarylacetoacetate hydrolase Antibody (HL1972) - Azide and BSA Free [NBP3-25461] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with FAH antibody [HL1972] (NBP3-25461) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody. Corresponding RNA expression data for the same cell lines are based on Human Protein Atlas program.



Knockdown Validated: Fumarylacetoacetate hydrolase Antibody (HL1972) - Azide and BSA Free [NBP3-25461] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with FAH antibody [HL1972] (NBP3-25461) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-25461

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00002184-P01-10ug Recombinant Human Fumarylacetoacetate hydrolase GST (N-Term)

Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-25461

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

