Product Datasheet

YTHDC2 Antibody (HL1861) - Azide and BSA Free NBP3-25759

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-25759

Updated 7/31/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-25759



NBP3-25759


YTHDC2 Antibody (HL1861) - Azide and BSA Free

TINDOZ ANIIDOUY (NETOOT) - AZIGE ANG BOA FIEE	
Product Information	
100 ul	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
HL1861	
No Preservative	
IgG	
Protein A purified	
PBS	
Rabbit	
64848	
YTHDC2	
Human	
Recombinant fragment of human YTHDC2	
Western Blot, Immunocytochemistry/ Immunofluorescence	
Western Blot 1:500-1:3000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000	




Images


Immunocytochemistry/Immunofluorescence: YTHDC2 Antibody (HL1861) - Azide and BSA Free [NBP3-25759] - YTHDC2 antibody [HL1861] detects YTHDC2 protein at cytoplasm by immunofluorescent analysis. Sample: HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: YTHDC2 stained by YTHDC2 antibody [HL1861] (NBP3-25759) diluted at 1:500. Blue: Fluoroshield with DAPI .



Western Blot: YTHDC2 Antibody (HL1861) - Azide and BSA Free [NBP3 -25759] - Various whole cell extracts (30 ug) were separated by 5% SDS-PAGE, and the membrane was blotted with YTHDC2 antibody [HL1861] (NBP3-25759) diluted at 1:1000. The HRP-conjugated antirabbit IgG antibody was used to detect the primary antibody. Corresponding RNA expression data for the same cell lines are based on Human Protein Atlas program.



Western Blot: YTHDC2 Antibody (HL1861) - Azide and BSA Free [NBP3 -25759] - Whole cell extract (30 ug) was separated by 5% SDS-PAGE, and the membrane was blotted with YTHDC2 antibody [HL1861] (NBP3-25759) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-25759

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-85089PEP YTHDC2 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-25759

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

