# **Product Datasheet**

## Histone H3 [Trimethyl Lys9, p Ser10] Antibody (RM162) -Azide and BSA Free NBP3-26022

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com

tech

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26022

Updated 9/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-26022

#### NBP3-26022


Histone H3 [Trimethyl Lys9, p Ser10] Antibody (RM162) - Azide and BSA Free

I 00 ug I mg/mI Store at -20C. Avoid freeze-thaw cycles. Monoclonal	
I mg/ml Store at -20C. Avoid freeze-thaw cycles.	
Store at -20C. Avoid freeze-thaw cycles.	
-	
Monoclopal	
Nonocional	
RM162	
No Preservative	
gG	
Protein A purified	
PBS	
Product Description	
Rabbit	
126961	
H3C14	
Human, Vertebrate	
This Histone H3 [p Ser10, Trimethyl Lys9] antibody (RM162) reacts to Histone H3 only when modified AT both trimethyl lysine 9 and phospho serine 10.	
This Histone H3 [p Ser10, Trimethyl Lys9] antibody (RM162) was raised against a trimethyl-phospho-peptide corresponding to Histone H3 [p Ser10, Trimethyl _ys9]	
Product Application Details	
Western Blot, ELISA, Multiplex Immunoassay	
Nestern Blot 0.01 ug/ml-1 ug/ml, ELISA 0.01 ug/mL - 0.5 ug/mL, Multiplex mmunoassay 0.1 ug/ml - 1 ug/ml	




#### Images

Western Blot: Histone H3 [Trimethyl Lys9, p Ser10] Antibody (RM162) -Azide and BSA Free [NBP3-26022] - Western Blot of acid extracts of HeLa cells (1) and recombinant histone H3.3 (2), using RM162 at 0. 01 ug/mL, showed a band of histone H3 modified by both trimethylation at lysine 9 and phosphorylation at serine 10 in HeLa cells.



Multiplex Immunoassay: Histone H3 [Trimethyl Lys9, p Ser10] Antibody (RM162) - Azide and BSA Free [NBP3-26022] - RM162 specifically reacts to Histone H3 only when modified at both trimethyl-lysine 9 and phospho-serine 10 (K9me3/S10p). No cross reactivity with non-modified Lysine 9/ Serine 10, methylated Lysine 9 (K9me1, k9me2, k9me3) ONLY, or phosphorylated Serine 10 ONLY, in Histone H3.







#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-26022

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NB21-1251PEP	Histone H3 [Monomethyl Lys36] Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26022

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

