# **Product Datasheet**

## Histone H4 [Monomethyl Lys5] Antibody (RM457) - Azide and BSA Free NBP3-26036

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26036

Updated 9/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-26036

#### NBP3-26036

Histone H4 [Monomethyl Lys5] Antibody (RM457) - Azide and BSA Free

Product Information		
Unit Size	100 ug	
Concentration	1 mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	RM457	
Preservative	No Preservative	
Isotype	IgG	
Purity	Protein A purified	
Buffer	PBS	
Product Description		
Host	Rabbit	
Gene ID	121504	
Gene Symbol	H4C16	
Species	Human, Vertebrate	
Specificity/Sensitivity	This antibody reacts to Histone H4 monomethylated at Lysine 5. No cross reactivity with non-modified Lysine 5, or other monomethylations in histone H4.	
Immunogen	A monomethyl-peptide corresponding to Histone H4 [Lys5] (Uniprot # P62805)	
Product Application Details		
Applications	Western Blot, ELISA, Multiplex Immunoassay	
Recommended Dilutions	Western Blot 0.1 ug/mL - 2 ug/mL, ELISA 0.5 ug/mL - 1 ug/mL, Multiplex Immunoassay 0.2 ug/mL - 5 ug/mL	



#### Images

Multiplex Immunoassay: Histone H4 [Monomethyl Lys5] Antibody (RM457) - Azide and BSA Free [NBP3-26036] - RM457 specifically reacts to Histone H4 monomethylated at Lysine 5 (K5me1). No cross reactivity with non-modified Lysine 5, or other monomethylations in histone H4.

	Clone RM457 Specific to H4K5me1		
	8000		
	6000		
	¥ 4000		
	2000		
	0		
	to control to the topped to the topped		
	Histone H4 peptides		
le	(kDa)		
	260-		
	160- 110-		
lls.	80-		
	60-		
	50-		
	40-		
	30-		
	20-		
	15- 10-		
	(1) (2)		

Western Blot: Histone H4 [Monomethyl Lys5] Antibody (RM457) - Azide and BSA Free [NBP3-26036] - Western Blot of acid extracts of HeLa cells (2) and recombinant histone H4 (1), using RM457 at 0.2 ug/mL, showed a band of histone H4 monomethylated at Lysine 5 in HeLa cells





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-26036

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NB21-2090PEP	Histone H4 [Trimethyl Lys20] Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26036

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

