Product Datasheet

HA Tag Antibody (RMH02) - Chimeric - Azide and BSA Free NBP3-26050

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26050

Updated 9/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-26050



NBP3-26050

HA Tag Antibody (RMH02) - Chimeric - Azide and BSA Free

Product InformationUnit Size100 ugConcentration1 mg/mlStorageStore at -20C. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneRMH02PreservativeNo PreservativeIsotypeIgG1PurityProtein A purifiedBufferPBSProduct DescriptionHostHumanSpeciesEpitope TagSpeciesEpitope TagSpecificity/SensitivityThis antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-61477 with the constant domain of Human ligG1. This antibody is recognized		
Concentration1 mg/mlStorageStore at -20C. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneRMH02PreservativeNo PreservativeIsotypeIgG1PurityProtein A purifiedBufferPBSProduct DescriptionHumanSpeciesEpitope TagSpeciesEpitope TagSpecificity/SensitivityThis antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Product Information	
StorageStore at -20C. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneRMH02PreservativeNo PreservativeIsotypeIgG1PurityProtein A purifiedBufferPBSProduct DescriptionHumanHostHumanSpeciesEpitope TagSpeciesEpitope TagSpecificity/SensitivityThis antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Unit Size	100 ug
ClonalityMonoclonalCloneRMH02PreservativeNo PreservativeIsotypeIgG1PurityProtein A purifiedBufferPBSProduct DescriptionHumanHostHumanSpeciesEpitope TagSpecificity/SensitivityThis antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Concentration	1 mg/ml
Clone RMH02 Preservative No Preservative Isotype IgG1 Purity Protein A purified Buffer PBS Product Description Human Species Epitope Tag Specificity/Sensitivity This antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein. Immunogen This HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Storage	Store at -20C. Avoid freeze-thaw cycles.
Preservative No Preservative Isotype IgG1 Purity Protein A purified Buffer PBS Product Description Human Host Human Species Epitope Tag Specificity/Sensitivity This antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein. Immunogen This HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Clonality	Monoclonal
Isotype IgG1 Purity Protein A purified Buffer PBS Product Description Human Species Epitope Tag Specificity/Sensitivity This antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein. Immunogen This HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Clone	RMH02
PurityProtein A purifiedBufferPBSProduct DescriptionHumanHostHumanSpeciesEpitope TagSpecificity/SensitivityThis antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Preservative	No Preservative
Buffer PBS Product Description Human Host Human Species Epitope Tag Specificity/Sensitivity This antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein. Immunogen This HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Isotype	lgG1
Product Description Host Human Species Epitope Tag Specificity/Sensitivity This antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein. Immunogen This HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Purity	Protein A purified
HostHumanSpeciesEpitope TagSpecificity/SensitivityThis antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Buffer	PBS
SpeciesEpitope TagSpecificity/SensitivityThis antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Product Description	
Specificity/SensitivityThis antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Host	Human
ImmunogenThis HA Tag Antibody (RMH02) was developed against a peptide corresponding to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Species	Epitope Tag
to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2-	Specificity/Sensitivity	This antibody reacts to recombinant proteins containing a HA Tag fused to either the amino or carboxy terminus. No cross reactivity with any endogenous protein.
only by an anti-Human IgG secondary antibody.	Immunogen	to HA Tag (Human influenza hemagglutinin amino acids 98-106). This antibody is a Rabbit-Human Chimeric antibody, made by fusion of the antigen binding region (variable domains of the heavy and light chains, VH and VL) of NBP2- 61477 with the constant domain of Human IgG1. This antibody is recognized
Product Application Details	Product Application Details	
Applications Western Blot, ELISA, Sandwich ELISA Capture, Sandwich ELISA Detection	Applications	Western Blot, ELISA, Sandwich ELISA Capture, Sandwich ELISA Detection
Recommended Dilutions Western Blot 0.1 ug/ml - 1 ug/ml, ELISA, Sandwich ELISA Capture 0.5 - 2 ug/ml, Sandwich ELISA Detection 0.01 - 0.5 ug/ml	Recommended Dilutions	Western Blot 0.1 ug/ml - 1 ug/ml, ELISA, Sandwich ELISA Capture 0.5 - 2 ug/ml, Sandwich ELISA Detection 0.01 - 0.5 ug/ml





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-26050

G-102-C	Goat anti-Human IgG Secondary Antibody [Unconjugated]
NB7446	Goat anti-Human IgG Fc Secondary Antibody
DDXCH01P-100	Human IgG1 Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26050

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

