Product Datasheet

SHIP Antibody (9G11) NBP3-26196-100ul

Unit Size: 100 ul

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26196

Updated 1/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-26196



NBP3-26196-100ul

SHIP Antibody (9G11)

of the Antibody (9011)	
100 ul	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at -20 to -70C. Avoid freeze-thaw cycles.	
Monoclonal	
9G11	
0.02% Sodium Azide	
IgG	
Affinity purified	
PBS, pH 7.4, 150mM NaCl, and 50% glycerol	
Product Description	
Rabbit	
3635	
INPP5D	
Human	
A synthesized peptide derived from Human SHIP [UniProt Q92835]	
Product Application Details	
Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation	
Western Blot 1:500-1:5000, ELISA, Immunohistochemistry 1:50-1:200, Immunoprecipitation 1:200-1:1000	



Images


Immunoprecipitation: SHIP Antibody (9G11) [NBP3-26196] -

Immunoprecipitating SHIP in Raji whole cell lysate.


Lane 1: Rabbit control IgG instead of NBP3-26196 in Raji whole cell lysate. For western blotting, a HRP-conjugated Protein G antibody was used as the secondary antibody (1/2000).

Lane 2: NBP3-26196 (2ug) + Raji whole cell lysate(500ug).

Lane 3: Raji whole cell lysate (10ug).



Immunohistochemistry: SHIP Antibody (9G11) [NBP3-26196] - Image of SHIP Antibody (9G11) diluted at 1:100 and staining in paraffinembedded human tonsil tissue performed. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.




Western Blot: SHIP Antibody (9G11) [NBP3-26196] - Positive Western Blot detected in: Raji whole cell lysate, K562 whole cell lysate.

All lanes: SHIP Antibody at 1: 1500

Secondary: Goat polyclonal to rabbit IgG at 1/50000 dilution.

Predicted band size: 134, 110 kDa Observed band size: 145 kDa





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-26196-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-49633PEP SHIP Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26196

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

