## **Product Datasheet**

# TACE/ADAM17 Antibody (5A1) NBP3-26523-100ul

Unit Size: 100 ul

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26523

Updated 1/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-26523



#### NBP3-26523-100ul

TACE/ADAM17 Antibody (5A1)


| Product Information         |   |
|-----------------------------|---|
| Unit Size                   | 100 ul  |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage                     | Store at -20 to -70C. Avoid freeze-thaw cycles.   |
| Clonality                   | Monoclonal  |
| Clone                       | 5A1   |
| Preservative                | 0.02% Sodium Azide  |
| Isotype                     | IgG   |
| Purity                      | Affinity purified   |
| Buffer                      | PBS, pH 7.4, 150mM NaCl, and 50% glycerol   |
| Product Description         |   |
| Host                        | Rabbit  |
| Gene ID                     | 6868  |
| Gene Symbol                 | ADAM17  |
| Species                     | Human   |
| Immunogen                   | A synthesized peptide derived from Human TACE/ADAM17 [UniProt P78536]                       |
| Product Application Details |   |
| Applications                | ELISA, Immunocytochemistry/ Immunofluorescence  |
|                             |   |

ELISA, Immunocytochemistry/ Immunofluorescence 1:20-1:200

### **Images**

**Recommended Dilutions** 

Immunocytochemistry/Immunofluorescence: TACE/ADAM17 Antibody (5A1) [NBP3-26523] - Staining of Hela Cells with TACE/ADAM17 Antibody (5A1) at 1:50, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeated by 0.2% Triton X-100, and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4C. Nuclear DNA was labeled in blue with DAPI. The secondary antibody was FITC-conjugated Goat Anti-Rabbit IgG (H+L).





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP3-26523-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-77044PEP TACE/ADAM17 Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26523

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

