Product Datasheet

CDC37 Antibody (10C3) - BSA Free NBP3-26671-100ul

Unit Size: 100 ul

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26671

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-26671



NBP3-26671-100ul

Recommended Dilutions

CDC37 Antibody (10C3) - BSA Free

Obost Antibody (1003) - Box i lee	
Product Information	
100 ul	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at -20 to -70C. Avoid freeze-thaw cycles.	
Monoclonal	
10C3	
0.02% Sodium Azide	
IgG	
Affinity purified	
PBS, pH 7.4, 150mM NaCl, and 50% glycerol	
Product Description	
Novus Biologicals Rabbit CDC37 Antibody (10C3) - BSA Free (NBP3-26671) is a recombinant monoclonal antibody validated for use in WB, ELISA and Flow. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
11140	
CDC37	
Human	
A synthesized peptide derived from Human CDC37 [UniProt Q16543]	
Product Application Details	
Western Blot, ELISA, Flow Cytometry	

Western Blot 1:500-1:5000, Flow Cytometry 1:20-1:200, ELISA



Images


Western Blot: CDC37 Antibody (10C3) [NBP3-26671] - Positive Western Blot detected in: Hela whole cell lysate, Jurkat whole cell lysate, MCF-7 whole cell lysate, 293 whole cell lysate, K562 whole cell lysate, PC-3

whole cell lysate.


All lanes: CDC37 Antibody at 1: 2000

Secondary: Goat polyclonal to rabbit IgG at 1/50000 dilution.

Predicted band size: 45 kDa Observed band size: 50 kDa



Flow Cytometry: CDC37 Antibody (10C3) [NBP3-26671] - Overlay histogram showing Hela cells stained with CDC37 Antibody (10C3) (red line) at 1:50. The cells were fixed with 70% Ethylalcohol (18h) and then incubated in 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (1ug/1*10^6 cells) for 1 h at 4C. The secondary antibody used was FITC-conjugated goat anti-rabbit IgG (H+L) at 1/200 dilution for 30min at 4C. Control antibody (green line) was Rabbit IgG (1ug/1*10^6 cells) used under the same conditions. Acquisition of >10,000 events was performed.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-26671-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBC1-18377 Recombinant Human CDC37 Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26671

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

