Product Datasheet

HSP90 alpha Antibody (HSP90AA1/7247) - Azide and BSA Free NBP3-26954

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26954

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-26954



NBP3-26954

HSP90 alpha Antibody (HSP90AA1/7247) - Azide and RSA Free

HSP90 alpha Antibody (HSP90A/	A1/7247) - Azide and BSA Free	
Product Information		
Unit Size	100 ug	
Concentration	1 mg/ml	
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	HSP90AA1/7247	
Preservative	No Preservative	
Isotype	IgG1 Kappa	
Purity	Protein A or G purified	
Buffer	10mM PBS	
Product Description		
Description	Non-hazardous. No MSDS required.	
Host	Mouse	
Gene ID	3320	
Gene Symbol	HSP90AA1	
Species	Human	
Immunogen	Recombinant fragment (around aa500-700) of human HSP90 alpha protein (exact sequence is proprietary)	
Product Application Details		
Applications	Immunohistochemistry-Paraffin	
Recommended Dilutions	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT	
Application Notes	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT. Optimal dilution for a specific application should be determined. Staining of formalin-fixed tissues	

1 Toddet Application Details		
Applications	Immunohistochemistry-Paraffin	
Recommended Dilutions	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT	
Application Notes	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT. Optimal dilution for a specific application should be determined Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes	



Images	
Formalin-fixed, paraffin-embedded human kidney stained with HSP90 alpha Antibody (HSP90AA1/7247) - Azide and BSA Free. Inset: PBS instead of primary antibody; secondary only negative control.	X
Formalin-fixed, paraffin-embedded human prostate stained with HSP90 alpha Antibody (HSP90AA1/7247) - Azide and BSA Free. HIER: Tris/EDTA, pH9.0, 45min. 2°C: HRP-polymer, 30min. DAB, 5min.	x





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-26954

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP1-77682PEP HSP90 alpha Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26954

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

