Product Datasheet

CCL23/Ck beta 8-1/MIP3 Antibody (CCL23/4036) - Azide and BSA Free NBP3-27009

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-27009

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-27009



NBP3-27009

CCL23/Ck beta 8-1/MIP3 Antibody (CCL23/4036) - Azide and BSA Free

CCL23/CK beta 8-1/MIP3 Antibody (CCL23/4036) - Azide and BSA Free			
Product Information			
Unit Size	100 ug		
Concentration	1 mg/ml		
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.		
Clonality	Monoclonal		
Clone	CCL23/4036		
Preservative	No Preservative		
Isotype	IgG2c Kappa		
Purity	Protein A or G purified		
Buffer	10mM PBS		
Product Description			
Description	Antibody without azide - store at -20 to -80C. Non-hazardous. No MSDS required.		
Host	Mouse		
Gene ID	6368		
Gene Symbol	CCL23		
Species	Human		
Immunogen	Recombinant fragment (around aa1-120) of human CCL23/Ck beta 8-1/MIP3 protein (exact sequence is proprietary)		
Product Application Details			
Applications	Immunohistochemistry-Paraffin		
Recommended Dilutions	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT		
Application Notes	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT. Optimal dilution		

Product Application Details	
Applications	Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT
Application Notes	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT. Optimal dilution for a specific application should be determined Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes



Images	
Analysis of Protein Array containing more than 19,000 full-length human proteins using CCL23-Monospecific Mouse Monoclonal Antibody (CCL23/4036).	X
Formalin-fixed, paraffin-embedded human adrenal gland stained with CCL23/Ck beta 8-1/MIP3 Antibody (CCL23/4036) - Azide and BSA Free. HIER: Tris/EDTA, pH9.0, 45min. 2°C: HRP-polymer, 30min. DAB, 5min.	x





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-27009

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP2-35021-5ug Recombinant Human CCL23/Ck beta 8-1/MIP3 Protein

210-TA-005 TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-27009

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

