Product Datasheet

IL-31RA Antibody - Humanized, IgG2SA, (Research Grade nemolizumab Biosimilar) - Low Endotoxin, Azide and BSA Free NBP3-28357-100ug

Unit Size: 100 ug

Store at -20C in powder form. Store at -80C once reconstituted.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-28357

Updated 4/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-28357



NBP3-28357-100ug

IL-31RA Antibody - Humanized, IgG2SA, (Research Grade nemolizumab Biosimilar) - Low Endotoxin, Azide and BSA Free

and BSA Free	
Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at -20C in powder form. Store at -80C once reconstituted.
Clonality	Monoclonal
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterile, distilled water to a final concentration of 1 mg/ml. Gently shake to solubilize completely. Do not vortex.
Isotype	IgG2
Purity	Protein A purified
Buffer	Lyophilized from 25mM histidine, 8% sucrose, 0.01% Tween80 (pH6.2)
Product Description	
Description	Expressed from CHO. The heavy chain type is hulgG2, and the light chain type is hukappa. It has a predicted MW of 145.5 kDa. Also known as 'nemolizumab'. IgG2SA is human IgG2 with S378A mutation. This product is shipped at ambient temperature. Upon receipt, store immediately at -20C or lower for 12 months in a lyophilized state 80C for 3 months after reconstitution. Avoid repeated freeze-thaw cycles.
Host	Human
Gene ID	133396
Gene Symbol	IL31RA
Species	Human
Reactivity Notes	Predicted species reactivity: Cynomolgus
Immunogen	IL-31Ra
Endotoxin Note	< 0.001EU/ug,determined by LAL method.
Product Application Details	
Applications	ELISA, Flow Cytometry, Functional


Flow Cytometry, ELISA, Functional

www.novusbio.com


Recommended Dilutions

Images


IL-31RA Antibody (nemolizumab) - Humanized, IgG2SA P-STAT3 Assay was evaluated using Du145. The IC50 was approximately 0.1068 ug/ml.




IL-31RA Antibody (nemolizumab) - Humanized, IgG2SA Activation inhibition was evaluated using Hacat. The max induction fold was approximately 1.86.



Immobilized human IL31R His at 2 ug/mL can bind IL-31RA Antibody (nemolizumab) - Humanized, IgG2SA, EC50=0.0153 ug/mL.



Human IL31R HEK293 cells were stained with IL-31RA Antibody (nemolizumab) - Humanized, IgG2SA and negative control protein respectively, washed and then followed by PE and analyzed with FACS, EC50=0.307 ug/mL.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-28357-100ug

G-102-C Goat anti-Human IgG Secondary Antibody [Unconjugated]

NB7446 Goat anti-Human IgG Fc Secondary Antibody

DDXCH02P-100 Human IgG2 Isotype Control

NBP2-68866PEP IL-31RA Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-28357

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

