Product Datasheet

IL-6 Antibody (Medarex patent anti-IL-6) - Low Endotoxin, Azide and BSA Free NBP3-28748-100ug

Unit Size: 100 ug

Store at -20C in powder form. Store at -80C once reconstituted.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-28748

Updated 4/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-28748


NBP3-28748-100ug

IL-6 Antibody (Medarex patent anti-IL-6) - Low Endotoxin, Azide and BSA Free

| Product Information | |
|-----------------------------|--|
| Unit Size | 100 ug |
| Concentration | LYOPH mg/ml |
| Storage | Store at -20C in powder form. Store at -80C once reconstituted. |
| Clonality | Monoclonal |
| Clone | Medarex patent anti-IL-6 |
| Preservative | No Preservative |
| Reconstitution Instructions | Reconstitute with sterile, distilled water to a final concentration of 1 mg/ml. Gently shake to solubilize completely. Do not vortex. |
| Isotype | IgG1 |
| Purity | Protein A purified |
| Buffer | Lyophilized from 25mM histidine, 8% sucrose, 0.01% Tween80 (pH6.2) |
| Product Description | |
| Description | Expressed from CHO. The heavy chain type is hulgG1, and the light chain type is hukappa. It has a predicted MW of 145.5 kDa. This product is shipped at ambient temperature. Upon receipt, store immediately at -20C or lower for 12 months in a lyophilized state 80C for 3 months after |
| Host | reconstitution. Avoid repeated freeze-thaw cycles. Human |
| | |
| Gene ID | 3569 |
| Gene Symbol | IL6 |
| Species | Human |
| Immunogen | IL-6 / IFNb2 |
| Endotoxin Note | < 0.001EU/ug,determined by LAL method. |
| Product Application Details | |
| Applications | ELISA, Flow Cytometry, Functional |
| Recommended Dilutions | Flow Cytometry, ELISA, Functional |

Images

Immobilized human IL-6 His at 2 ug/mL can bind IL-6 Antibody (Medarex patent anti-IL-6), EC50=0.01594 ug/mL.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-28748

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

