Product Datasheet

ACTR2 Antibody - BSA Free NBP3-29487

Unit Size: 100 ug

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-29487

Updated 3/18/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-29487



NBP3-29487

ACTR2 Antibody - BSA Free

Recommended Dilutions


| ACTRZ Antibody - BSA Free | |
|-----------------------------|---|
| Product Information | |
| Unit Size | 100 ug |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C. Do not freeze. |
| Clonality | Polyclonal |
| Preservative | 0.09% Sodium Azide |
| Isotype | IgG |
| Purity | Affinity purified |
| Buffer | Tris-citrate/phosphate pH 7 -8. |
| Product Description | |
| Host | Rabbit |
| Gene ID | 10097 |
| Gene Symbol | ACTR2 |
| Species | Human |
| Immunogen | Between 250 and 300 |
| Assay Type | [Assay Type] |
| Sample Volume | [Sample Volume] |
| Product Application Details | |
| Applications | Immunohistochemistry, Immunoprecipitation |
| | |

Immunohistochemistry, Immunoprecipitation




Images

Immunohistochemistry;ACTR2 Antibody[NBP3-29486]Detection of human ACTR2 by immunohistochemistry. Sample: FFPE section of human skin squamous cell carcinoma. Antibody: Affinity purified rabbit anti-ACTR2 used at a dilution of 1:5,000. Detection: DAB. Counterstain: IHC Hematoxylin.



Immunoprecipitation:ACTR2 AntibodyNBP3-29487] -Detection of human ACTR2 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-ACTR2 antibody NBP3-29487 (lot NBP3-29487-1) used for IP at 6 μg per reaction. ACTR2 was also immunoprecipitated by rabbit anti-ACTR2 antibody NBP3-29487. For blotting immunoprecipitated ACTR2, NBP3-29487 was used at 1 $\mu g/m l$. Detection: Chemiluminescence with an exposure time of 10 seconds.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-29487

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00010097-P01-10ug Recombinant Human ACTR2 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-29487

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

