Product Datasheet

Stomatin Antibody - BSA Free NBP3-29788

Unit Size: 100 ug

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-29788

Updated 3/18/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-29788



NBP3-29788

Stomatin Antibody - BSA Free


Stomatin Antibody - BSA Free	
Product Information	
Unit Size	100 ug
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	Tris-citrate/phosphate buffer, pH 7 to 8
Product Description	
Host	Rabbit
Gene ID	2040
Gene Symbol	STOM
Species	Human
Immunogen	Between 238 and 288
Assay Type	[Assay Type]
Sample Volume	[Sample Volume]
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunoprecipitation
B 1 1 B 11 41	W . Bill III III III III III III III III III

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot, Immunohistochemistry, Immunoprecipitation




Images

Immunohistochemistry; Stomatin Antibody [NBP3-29787] Detection of human Stomatin by immunohistochemistry. Sample: FFPE section of human ovarian carcinoma infiltrating cells. Antibody: Affinity purified rabbit anti-Stomatin used at a dilution of 1:1,000. Detection: DAB



Immunoprecipitation:Stomatin AntibodyNBP3-29788] -Detection of human Stomatin by western blot of immunoprecipitates. Samples: Whole cell lysate (1 mg for IP; 20% of IP loaded) prepared using RIPA buffer from HeLa cells. Antibodies: Affinity purified rabbit anti-Stomatin antibody NBP3-29788 (lot NBP3-29788-1) used for IP at 6 μg per reaction. Stomatin was also immunoprecipitated by rabbit anti-Stomatin antibody. For blotting immunoprecipitated Stomatin, NBP3-29788 was used at 1 $\mu g/ml$. Detection: Chemiluminescence with an exposure time of 3 minutes.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-29788

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-22833 Recombinant Human Stomatin His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-29788

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

