# **Product Datasheet**

# RNA Helicase A Antibody (JE34-97) NBP3-32907

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32907

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32907



## NBP3-32907

RNA Helicase A Antibody (JE34-97)

RNA Helicase A Antibody (JE34-97)	
Product Information	
100 ul	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
JE34-97	
0.05% Sodium Azide	
IgG	
Protein A purified	
1*TBS (pH7.4), 0.05% BSA and 40% Glycerol	
141 kDa	
Product Description	
Novus Biologicals Rabbit RNA Helicase A Antibody (JE34-97) (NBP3-32907) is a recombinant monoclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Rabbit	
1660	
DHX9	
Human, Mouse, Rat	
Recombinant protein within Human RNA Helicase A aa 1,126-1,225 / 1,270. (Uniprot: Q08211)	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry	
Western Blot 1:1000-1:2000, Immunohistochemistry, Immunocytochemistry/Immunofluorescence 1:100, Immunohistochemistry-Paraffin 1:200-1:1000	



#### **Images**

Western Blot: RNA Helicase A Antibody (JE34-97) [NBP3-32907] - Western blot analysis of RNA Helicase A on different lysates with Rabbit anti-RNA Helicase A antibody (NBP3-32907) at 1/1,000 dilution.

Lane 1: U-2 OS cell lysate (15 ug/Lane)
Lane 2: A431 cell lysate (15 ug/Lane)
Lane 3: HeLa cell lysate (15 ug/Lane)
Lane 4: HEK-293 cell lysate (15 ug/Lane)

Lane 5: K-562 cell lysate (15 ug/Lane) Lane 6: A549 cell lysate (15 ug/Lane) Lane 7: PANC-1 cell lysate (15 ug/Lane)

Lane 8: MCF7 cell lysate (15 ug/Lane)

Lane 9: Human brain tissue lysate (30 ug/Lane)

Predicted band size: 141 kDa Observed band size: 141 kDa

Exposure time: 43 seconds;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32907) at 1/1,000 dilution was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:100,000 dilution was used for 1 hour at room temperature.


Immunohistochemistry: RNA Helicase A Antibody (JE34-97) [NBP3-32907] - Immunohistochemical analysis of paraffin-embedded human brain tissue with Rabbit anti-RNA Helicase A antibody (NBP3-32907) at 1/1,000 dilution.


The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0) for 2 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32907) at 1/1,000 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.

Immunocytochemistry/ Immunofluorescence: RNA Helicase A Antibody (JE34-97) [NBP3-32907] - Immunocytochemistry analysis of HeLa cells labeling RNA Helicase A with Rabbit anti-RNA Helicase A antibody (NBP3-32907) at 1/100 dilution.

Cells were fixed in 100% methanol for 10 minutes, permeabilized with 0.1% Triton X-100 in PBS for 15 minutes, and then blocked with 1% BSA for 30 minutes at room temperature. Cells were then incubated with Rabbit anti-RNA Helicase A antibody (NBP3-32907) at 1/100 dilution in 2% negative goat serum overnight at 4 □. Goat Anti-Rabbit IgG H&L (iFluor™ 488) was used as the secondary antibody at 1/1,000 dilution. Nuclear DNA was labelled in blue with DAPI.

Beta tubulin (red) was stained at 1/100 dilution overnight at +4□. Goat Anti-Mouse IgG H&L (iFluor™ 594) was used as the secondary antibody at 1/1,000 dilution.









## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Products Related to NBP3-32907

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00001660-Q01-10ug Recombinant Human RNA Helicase A GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32907

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

