Product Datasheet

YTHDC1 Antibody (3K8D1) NBP3-33486-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-33486

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-33486



NBP3-33486-100ul

YTHDC1 Antibody (3K8D1)

Y THUCT Antibody (3K8D1)				
Product Information				
Unit Size	100 ul			
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.			
Storage	Store at -20C. Avoid freeze-thaw cycles.			
Clonality	Monoclonal			
Clone	3K8D1			
Preservative	0.05% Proclin 300			
Isotype	IgG			
Purity	Affinity purified			
Buffer	PBS (pH 7.3), 50% glycerol, 0.05% BSA			
Target Molecular Weight	85 kDa			
Product Description				
Description	Novus Biologicals Rabbit YTHDC1 Antibody (3K8D1) (NBP3-33486) is a monoclonal antibody validated for use in WB and ELISA. All Novus Biologicals antibodies are covered by our 100% guarantee.			
Host	Rabbit			
Gene ID	91746			
Species	Human			
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 597-736 of mouse YTHDC1 (NP_808348.2). Sequence: SYNDYVREFHNMGPPPPWQGMPPYPGIEQPPHHPYYQHHAPPPQAHPPYSGHHPVPHEARYRDKRVHDYDMRVDDFLRRTQAVVSGRRSRPRERDRERERDRPRDNRRDRERDRGRDRERERERICDRDRDRGERGRYRR			
Product Application Details				
Applications	Western Blot, ELISA			
Recommended Dilutions	Western Blot 1:500 - 1:1000, ELISA Recommended starting concentration is 1 ug/mL			

Images

Western Blot: YTHDC1 Antibody (3K8D1) [NBP3-33486] - Western Blot analysis of lysates from HeLa cells using [KO Validated] YTHDC1 Rabbit mAb at 1:1000 dilution incubated overnight at 4C.


Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at

1:10000 dilution.

Lysates/proteins: 25 ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit. Exposure time: 45s.




Western Blot: YTHDC1 Antibody (3K8D1) [NBP3-33486] - Western Blot analysis of lysates from YTHDC1-cKO mouse ES cells, using [KO Validated] YTHDC1 Rabbit mAb at 1:1000 dilution incubated overnight at 4C. YTHDC1-cKO mouse ES cells were treated by 4OHT. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at

1:10000 dilution.

Lysates/proteins: 25 ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit. Exposure time: 45s.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-33486-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-81353PEP YTHDC1 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-33486

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

