# **Product Datasheet**

# CD163 Antibody (CL10652) - Azide and BSA Free NBP3-43871

Unit Size: 100 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-43871

Updated 3/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-43871




### NBP3-43871

CD163 Antibody (CL10652) - Azide and BSA Free

CD 103 Antibody (CE 10032) - Azide and BSA i fee	
100 ug	
LYOPH mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
CL10652	
No Preservative	
Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.	
IgG1	
Protein A purified	
Lyophilized from a 0.2 um filtered solution in PBS with Trehalose	
Product Description	
Mouse	
9332	
CD163	
Human, Rat	
This antibody was generated using a recombinant protein sequence of Q86VB7, with the exact immunogen sequence remaining proprietary.	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin	
Western Blot 1 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500	
For IHC-Paraffin, HIER pH 6 retrieval is recommended.	

# Images

Staining of human cerebellum shows moderate cytoplasmic positivity in microglia and strong staining in perivascular macrophages.



Analysis in human cerebral cortex and skeletal muscle tissues using NBP3-43871 antibody. Corresponding CD163 RNA-seq data are presented for the same tissues. Staining of human cerebral cortex (Alzheimer's disease) shows strong cytoplasmic positivity in perivascular macrophages and in microglia. Staining of human skeletal muscle shows no positivity in myocytes as expected. Staining of human liver shows strong cytoplasmic positivity in Kupffer cells.



Analysis in human spleen tissue.	[KDa] Sive Sive Sive Sive Sive Sive Sive Sive
Staining of human tonsil shows strong cytoplasmic positivity in non-germinal center cells.	
Staining of rat cerebral cortex shows strong cytoplasmic positivity in perivascular macrophages.	





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### **Products Related to NBP3-43871**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)
NBP2-48846PEP CD163 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-43871

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

