Product Datasheet

ERCC1 Antibody (CL1249) - Azide and BSA Free NBP3-43959

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-43959

Updated 2/27/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-43959




NBP3-43959

ERCC1 Antibody (CL1249) - Azide and BSA Free

| ERCC1 Antibody (CL1249) - Azide and BSA Free | |
|--|--|
| Product Information | |
| 100 ul | |
| LYOPH mg/ml | |
| Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. | |
| Monoclonal | |
| CL1249 | |
| 0.02% Sodium Azide | |
| Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml. | |
| IgG2a | |
| Protein A purified | |
| Lyophilized in 5% Trehalose. | |
| Product Description | |
| Mouse | |
| 2067 | |
| ERCC1 | |
| Human | |
| This antibody was generated using a recombinant protein sequence of P07992, with the exact immunogen sequence remaining proprietary. | |
| | |
| Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin | |
| Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500 | |
| For IHC-Paraffin, HIER pH 6 retrieval is recommended. For Immunocytochemistry/ Immunofluorescence/IF, PFA/Triton X-100 is recommended for fixation/permeabilization. | |
| | |


Images

Staining of human breast cancer shows moderate nuclear positivity in tumor cells.







Staining of human fallopian tube shows moderate to strong nuclear positivity in glandular cells.




Staining of human prostate cancer shows moderate nuclear positivity in tumor cells.




Staining of human testis shows moderate to strong nuclear positivity in cells in seminiferous ducts.



Staining of U-2 OS cells using the Anti-ERCC1 monoclonal antibody) .



Staining of human tonsil shows moderate nuclear positivity in lymphoid cells.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-43959

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96778 Mouse IgG2a Isotype Control (M2A)

NBP1-98981-50ug Recombinant Human ERCC1 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-43959

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

