# **Product Datasheet**

# NECAB1 Antibody (CL0580) - Azide and BSA Free NBP3-43974

Unit Size: 100 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-43974

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-43974



### NBP3-43974

NECAB1 Antibody (CL0580) - Azide and BSA Free


/	
Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	CL0580
Preservative	No Preservative
Reconstitution Instructions	Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.
Isotype	IgG1
Purity	Protein A purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS with Trehalose
<b>Product Description</b>	
Description	Novus Biologicals Mouse NECAB1 Antibody (CL0580) - Azide and BSA Free (NBP2-52944) is a monoclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
11 4	

	Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	64168
Gene Symbol	NECAB1
Species	Human
Immunogen	This antibody was generated using a recombinant protein sequence of Q8N987, with the exact immunogen sequence remaining proprietary.
Product Application Details	

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.

## **Images**

Staining of human cerebellum shows moderate cytoplasmic positivity in neurons.






Analysis in human cerebral cortex and pancreas tissues using NBP3-43974 antibody. Corresponding NECAB1 RNA-seq data are presented for the same tissues. NECAB1 in Pancrea 10 20 30 40 50 Lane 1: Marker [kDa] Lane 2: Human cerebral cortex lysate 100 -70 -Staining of human kidney shows strong cytoplasmic positivity in cells in glomeruli. Staining of human cerebral cortex shows strong cytoplasmic positivity in neurons.



Staining of human pancreas shows no positivity in exocrine glandular cells as expected.





#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### **Products Related to NBP3-43974**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

H00064168-P01-10ug Recombinant Human NECAB1 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-43974

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

