

Product Datasheet

FUS Antibody (CL0190) - Azide and BSA Free NBP3-44055

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-44055

Updated 3/13/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-44055



NBP3-44055

FUS Antibody (CL0190) - Azide and BSA Free


Product Information	
Unit Size	100 ul
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	CL0190
Preservative	No Preservative
Reconstitution Instructions	Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.
Isotype	IgG1
Purity	Protein A purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS with Trehalose

Product Description	
Host	Mouse
Gene ID	2521
Gene Symbol	FUS
Species	Human
Immunogen	This antibody was generated using a recombinant protein sequence of P35637, with the exact immunogen sequence remaining proprietary.


Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1 ug/ml, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin 1:2500 - 1:5000
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use PFA/Triton X-100.

Images


Lane 1: Marker [kDa]
 Lane 2: Human cell line HeLa cytoplasmic fraction
 Lane 3: Human cell line HeLa membrane fraction
 Lane 4: Human cell line HeLa nuclear fraction
 Lane 5: Human cell line HeLa chromatin fraction
 Lane 6: Human cell line HeLa cytoskeletal fraction




Staining in HeLa cell line with Anti-FUS monoclonal antibody) staining in green. Microtubule- and nuclear probes are visualized in red and blue respectively (where available).




Lane 1: Marker [kDa]
 Lane 2: Human cell line HeLa
 Lane 3: Human cell line A-431
 Lane 4: Human cell line MCF-7
 Lane 5: Human cell line U2-OS
 Lane 6: Human cell line Hep-G2




Staining in MCF7 cell line with Anti-FUS monoclonal antibody) staining in green. Microtubule- and nuclear probes are visualized in red and blue respectively (where available).





Staining in U2OS cell line with Anti-FUS monoclonal antibody) staining in green. Microtubule- and nuclear probes are visualized in red and blue respectively (where available).




Staining in U251 cell line with Anti-FUS monoclonal antibody) staining in green. Microtubule- and nuclear probes are visualized in red and blue respectively (where available).




Analysis in human cerebral cortex and liver tissues using NBP3-44055 antibody. Corresponding FUS RNA-seq data are presented for the same tissues.




Staining in A431 cell line with Anti-FUS monoclonal antibody) staining in green. Microtubule- and nuclear probes are visualized in red and blue respectively (where available).




Staining of human cerebral cortex shows strong nuclear positivity in neurons.




Staining of human endometrium shows strong nuclear positivity in glandular cells.




Staining of human liver shows only very weak nuclear positivity in hepatocytes.



Staining of human testis shows strong nuclear positivity in cells in seminiferous ducts.



Analysis in U-251MG cells transfected with control siRNA, target specific siRNA probe #1 and #2, using Anti-FUS antibody. Remaining relative intensity is presented. Loading control: Anti-GAPDH.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-44055

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP1-42462	Recombinant Human FUS His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44055

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

