Product Datasheet

Inhibin beta A Antibody (CL15357) - Azide and BSA Free NBP3-44161

Unit Size: 100 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-44161

Updated 3/16/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-44161




NBP3-44161

Inhibin beta A Antibody (CL15357) - Azide and BSA Free

Trinibilit Beta 77 Tribedy (GE10007) Treade and Be771 Tee	
Product Information	
100 ug	
LYOPH mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
CL15357	
No Preservative	
Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.	
IgG1	
Protein A purified	
Lyophilized from a 0.2 um filtered solution in PBS with Trehalose	
Product Description	
Mouse	
3624	
INHBA	
Human, Rat	
This antibody was generated using a recombinant protein sequence of P08476, with the exact immunogen sequence remaining proprietary.	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin	
Western Blot 1 ug/ml, Immunohistochemistry-Paraffin 1:50 - 1:200	
For IHC-Paraffin, HIER pH 6 retrieval is recommended.	

Images

Analysis in human placenta and kidney tissues using NBP3-44161 antibody. Corresponding Inhibin beta A RNA-seq data are presented for the same tissues.





Page 2 of 4 v.20.1 Updated 3/16/2025 Staining of human kidney shows no positivity in cells in tubules as expected. Staining of human cerebral cortex shows weak to moderate cytoplasmic positivity in a subset of neurons. Staining of human prostate shows no positivity in glandular cells as expected. Staining of human placenta shows strong cytoplasmic positivity in trophoblastic cells.



Staining of rat cerebral cortex shows moderate cytoplasmic positivity in a subset of neurons in the upper layers.

Analysis in human cell line U-138MG.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-44161

NBP2-33376H Blue Marker Antibody (6F4-F6) [HRP]

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44161

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

