Product Datasheet

CUTL2 Antibody (CL14332) - Azide and BSA Free NBP3-44256

Unit Size: 100 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-44256

Updated 3/16/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-44256



NBP3-44256

CUTL2 Antibody (CL14332) - Azide and BSA Free

Unit Size100 ugConcentrationLYOPH mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneCL14332PreservativeNo PreservativeReconstitution InstructionsCentrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1 mg/ml.IsotypeIgG2bPurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct DescriptionEast 1000000000000000000000000000000000000	· · · · · · · · · · · · · · · · · · ·	
ConcentrationLYOPH mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneCL14332PreservativeNo PreservativeReconstitution InstructionsCentrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1 mg/ml.IsotypeIgG2bPurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct Description23316Gene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Product Information	
StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityMonoclonalCloneCL14332PreservativeNo PreservativeReconstitution InstructionsCentrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1 mg/ml.IsotypeIgG2bPurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct Description23316Gene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Unit Size	100 ug
cycles.ClonalityMonoclonalCloneCL14332PreservativeNo PreservativeReconstitution InstructionsCentrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.IsotypeIgG2bPurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct Description100 cut 200 cu	Concentration	LYOPH mg/ml
CloneCL14332PreservativeNo PreservativeReconstitution InstructionsCentrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.IsotypeIgG2bPurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct DescriptionMouseGene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of 014529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence//F Fixation Permeabilization: Use	Storage	
PreservativeNo PreservativeReconstitution InstructionsCentrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.IsotypeIgG2bPurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct DescriptionMouseGene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Clonality	Monoclonal
Reconstitution InstructionsCentrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.IsotypeIgG2bPurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct DescriptionMouseGene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Clone	CL14332
Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.IsotypeIgG2bPurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct DescriptionMouseGene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Preservative	No Preservative
PurityProtein A purifiedBufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct DescriptionHostMouseGene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Reconstitution Instructions	Reconstitute by adding sterile, distilled water to achieve a final antibody
BufferLyophilized from a 0.2 um filtered solution in PBS with TrehaloseProduct DescriptionHostMouseGene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Isotype	IgG2b
Product DescriptionHostMouseGene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Purity	Protein A purified
HostMouseGene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ImmunofluorescenceApplicationsImmunocytochemistry/Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/Immunofluorescence/IF Fixation Permeabilization: Use	Buffer	Lyophilized from a 0.2 um filtered solution in PBS with Trehalose
Gene ID23316Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Product Description	
Gene SymbolCUX2SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Host	Mouse
SpeciesHumanImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsImmunocytochemistry/ ImmunofluorescenceApplicationsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Gene ID	23316
ImmunogenThis antibody was generated using a synthetic peptide of O14529, with the exact immunogen sequence remaining proprietary.Product Application DetailsApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Gene Symbol	CUX2
immunogen sequence remaining proprietary.Product Application DetailsApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Species	Human
ApplicationsImmunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunocytochemistry/ Immunofluorescence 2-10 ug/mlApplication NotesImmunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Immunogen	
Recommended Dilutions Immunocytochemistry/ Immunofluorescence 2-10 ug/ml Application Notes Immunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Product Application Details	
Application Notes Immunocytochemistry/ Immunofluorescence/IF Fixation Permeabilization: Use	Applications	Immunocytochemistry/ Immunofluorescence
	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 2-10 ug/ml
	Application Notes	

Images

Staining in SH-SY5Y cell line with Anti-CUTL2 monoclonal antibody) .







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-44256

464-SH-025	Sonic Hedgehog/Shh [Unconjugated]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44256

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

