Product Datasheet

GSPT1 Antibody (CL13332) - Azide and BSA Free NBP3-44373

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-44373

Updated 3/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-44373



NBP3-44373

GSPT1 Antibody (CL13332) - Azide and BSA Free


,	
Product Information	
Unit Size	100 ul
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	CL13332
Preservative	No Preservative
Reconstitution Instructions	Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.
Isotype	IgG2a
Purity	Protein A purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS with Trehalose
Product Description	
Host	Mouse
Gene ID	2935
Gene Symbol	GSPT1
Species	Human
Immunogen	This antibody was generated using a synthetic peptide of P15170, with the exact immunogen sequence remaining proprietary.
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1 ug/ml, Immunohistochemistry-Paraffin 1:1000 - 1:2500

For use with IHC-Paraffin, HIER pH 6 retrieval is recommended.

Images

Application Notes

Staining of human breast cancer shows strong cytoplasmic positivity in tumor cells.



Page 2 of 4 v.20.1 Updated 3/13/2025 Staining of human colorectal cancer (metastasis to ovary) shows strong cytoplasmic positivity in tumor cells. Staining of human colorectal cancer shows strong cytoplasmic positivity in tumor cells. Staining of human liver shows no positivity in hepatocytes. Staining of human ovarian cancer (papillary carcinoma) shows strong cytoplasmic positivity in tumor cells.



Staining of human testis shows moderate to strong cytoplasmic positivity in cells in seminiferous ducts.

Analysis in human cell line K562.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-44373

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96778 Mouse IgG2a Isotype Control (M2A)

H00002935-Q01-10ug Recombinant Human GSPT1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44373

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

