

Product Datasheet

CD68/SR-D1 Antibody (514H12) NB100-65101

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 15

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-65101

Updated 7/30/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-65101



NB100-65101


CD68/SR-D1 Antibody (514H12)

Product Information	
Unit Size	0.1 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	514H12
Preservative	0.01% Sodium Azide
Isotype	IgG2a
Purity	Tissue culture supernatant
Buffer	Tissue Culture Supernatant
Product Description	
Host	Mouse
Gene ID	968
Gene Symbol	CD68
Species	Human
Marker	Histiocytic Marker
Specificity/Sensitivity	This CD68/SR-D1 Antibody (514H12) recognizes the human CD68 cell surface antigen
Immunogen	This CD68/SR-D1 Antibody (514H12) was developed against a fusion protein corresponding to external domain of human CD68
Product Application Details	
Applications	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Western Blot (Negative)
Recommended Dilutions	Immunohistochemistry 1:40 - 1:80, Immunocytochemistry/ Immunofluorescence 1:10-1:500, Immunohistochemistry-Paraffin 1:40-1:80, Immunohistochemistry-Frozen 1:10-1:500, Western Blot (Negative)
Application Notes	This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. 1mM EDTA pH8.0 is recommended for this purpose. Does not work in Western Blotting.



Images

Immunohistochemistry-Paraffin: CD68/SR-D1 Antibody (514H12) [NB100-65101] - Detection of Mouse anti Human CD68 (NB100-65101) in an immunohistochemical analysis of formalin fixed, paraffin embedded tonsil section following heat mediated antigen retrieval with TRIS-EDTA buffer, pH9.0 using the Histar Detection Kit.



Publications

- Wei J, Besner GE. M1 to M2 macrophage polarization in heparin-binding epidermal growth factor-like growth factor therapy for necrotizing enterocolitis *Journal of Surgical Research* 2015-03-18 [PMID: 25913486] (IHC-P, Human)
- Moskovszky, L et al. Genomic instability in giant cell tumor of bone. A study of 52 cases using DNA ploidy, relocalization FISH, and array-CGH analysis. *Genes Chromosomes Cancer*. 48: 468-79. [PMID: 19242928]
- Kaibara, N et al. Comparative histopathological analysis between tenosynovitis and joint synovitis in rheumatoid arthritis. *Histopathology* 52: 856-64. 2008-01-01 [PMID: 18462359]
- Coury, F et al. Langerhans cell histiocytosis reveals a new IL-17A-dependent pathway of dendritic cell fusion. *Nat Med* 14: 81-7. 2008-01-01 [PMID: 18157139]
- Silaghi, A et al. Expression of adrenomedullin in human epicardial adipose tissue: role of coronary status. *Am J Physiol Endocrinol Metab* 293: E1443-50. 2007-01-01 [PMID: 17878224]
- Angel, CE et al. CD14+ antigen-presenting cells in human dermis are less mature than their CD1a+ counterparts. *Int Immunol* 19: 1271-9. 2007-01-01 [PMID: 17804688]
- Hever, A et al. Human endometriosis is associated with plasma cells and overexpression of B lymphocyte stimulator. *Proc Natl Acad Sci U S A* 104: 12451-6. 2007-01-01 [PMID: 17640886]
- Achard, V et al. Renin receptor expression in human adipose tissue. *Am J Physiol Regul Integr Comp Physiol* 292: R274-82. 2007-01-01 [PMID: 17197644]
- Wang, X et al. Monocyte/macrophage and T-cell infiltrates in peritoneum of patients with ovarian cancer or benign pelvic disease. *J Transl Med* 4: 30. 2006-01-01 [PMID: 16824216]
- Paulmyer-Lacroix, O et al. Expression of adrenomedullin in adipose tissue of lean and obese women. *Eur J Endocrinol* 155: 177-85. 2006-01-01 [PMID: 16793965]
- Rodriguez-Agudo, D et al. Localization of StarD5 cholesterol binding protein. *J Lipid Res* 47: 1168-75. 2006-01-01 [PMID: 16534142]
- da Costa, CE et al. Presence of osteoclast-like multinucleated giant cells in the bone and nonostotic lesions of Langerhans cell histiocytosis. *J Exp Med* 201: 687-93. 2005-01-01 [PMID: 15753204]
- More publications at <http://www.novusbio.com/NB100-65101>



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-65101

NBL1-08962	CD68/SR-D1 Overexpression Lysate
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96778	Mouse IgG2a Isotype Control (M2A)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-65101

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

