

# Product Datasheet

## PC12 CoCl<sub>2</sub> treated/Untreated Cell Lysate NBP3-11858

Unit Size: 2 Vials

Store at -20 to -80C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP3-11858](http://www.novusbio.com/NBP3-11858)

Updated 9/11/2021 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP3-11858](http://www.novusbio.com/reviews/destination/NBP3-11858)



**NBP3-11858****PC12 CoCl<sub>2</sub> treated/Untreated Cell Lysate**

<b>Product Information</b>	
<b>Unit Size</b>	2 Vials
<b>Concentration</b>	1.0 mg/ml
<b>Storage</b>	Store at -20 to -80C. Avoid freeze-thaw cycles.
<b>Buffer</b>	The protein lysate is prepared in 1x Laemmli sample buffer with BME. Boiling before loading is not necessary.
<b>Product Description</b>	
<b>Preparation Method</b>	PC12 cells are grown under standard tissue culture conditions until semi-confluent (70-80%). The cells are then treated with or without 100 uM CoCl <sub>2</sub> for 4 hours, washed in PBS and directly lysed into 1X Laemmli sample buffer with BME. The lysate is sonicated and tested by Western blot
<b>Lysate Type</b>	Cell
<b>Lysate Subcellular Fraction</b>	CoCl <sub>2</sub> treated/Untreated
<b>Product Application Details</b>	
<b>Applications</b>	SDS-Page
<b>Recommended Dilutions</b>	SDS-Page 10 ul / lane
<b>Application Notes</b>	PC12 whole cell lysate is provided as a Western blot positive control. The lysates are provided as a set of treated and untreated samples. Use 10 ul per lane for a standard mini-gel blot (1.0 mg/ml).



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP3-11858](http://www.novusbio.com/reviews/submit/NBP3-11858)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

